

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	998464	((mounting adj case) or housing)	US-PGPUB; USPAT; EPO; JPO
2	BRS	L2	118587 6	((optical adj device) or display)	US-PGPUB; USPAT; EPO; JPO
3	BRS	L3	115903	L1 and L2	US-PGPUB; USPAT; EPO; JPO
4	BRS	L4	22845	L3 and cover and plate	US-PGPUB; USPAT; EPO; JPO
5	BRS	L5	1165	349/58.ccls.	US-PGPUB; USPAT; EPO; JPO
6	BRS	L6	267971 9	frame or support or holder	US-PGPUB; USPAT; EPO; JPO
7	BRS	L7	18329	L4 and L6	US-PGPUB; USPAT; EPO; JPO

	Type	L #	Hits	Search Text	DBs
8	BRS	L8	153	L7 and L5	US-PGPUB; USPAT; EPO; JPO
9	BRS	L9	8602	coefficient with linear adj expansion	US-PGPUB; USPAT; EPO; JPO
10	BRS	L10	8	L8 and L9	US-PGPUB; USPAT; EPO; JPO
11	BRS	L11	1	("6359721").PN.	US-PGPUB; USPAT; USOCR
12	BRS	L12	408450 4	metal plate substrate layer same (anneal\$5 same press\$5)	US-PGPUB; USPAT; EPO; JPO
13	BRS	L13	153	L12 and L8	US-PGPUB; USPAT; EPO; JPO
14	BRS	L14	107	13 and @ad<="20021220"	US-PGPUB; USPAT; EPO; JPO

	Type	L #	Hits	Search Text	DBs
15	BRS	L15	17	metal adj plate with anneal\$5 with press\$5	US- PGPUB; USPAT; EPO; JPO
16	BRS	L16	17	15 and @ad<="20021220"	US- PGPUB; USPAT; EPO; JPO